

COUNTY OF LOS ANGELES FIRE DEPARTMENT FIRE PREVENTION DIVISION

EAST REGION POMONA 590 S. PARK AVE. POMONA, CA 91766

Form 30 (8/08)

NOTICE TO PROSPECTIVE BUSINESSES STATEMENT OF INTENDED USE

Various processes and situations in commercial and industrial establishments can create fire and life safety hazards. In order to provide a reasonable degree of safety to life and protection of property, specific requirements have been established in the Fire, Building, and Life Safety Codes. To help us assess what particular laws apply to your business, please provide the following information:

PART I – Building Information								
Busin	ness Name:			~~~~				
Busir	ness Address:							
	Number of Buildings: Type of Construction: Square footage:							
PAI	RT II – Quest	ionnaire		KRK				
1.	Will you have ove Hazard Commodi	er 500 square feet of <u>high-piled combustible storage</u> ? (> 12' or > 6' for High ties) See Part V of this form for more information.	YES	NO				
2.	Will you be storing	g more that 2500 cubic feet of miscellaneous combustible materials?						
3.	Will you store, tra Also see Part IV.	nsport on site, dispense, use or handle <u>hazardous materials</u> ? (FC Table 105.6.20)						
4.	Will you store, handle, use, apply, or dispense <u>flammable or combustible liquids or powder coating?</u>							
5.	Will you store, had 105.6.8)	ndle or use compressed gases including liquefied petroleum gases? (FC Table						
6.	Will you produce,	store, handle, or transport onsite <u>cryogenic fluids</u> ? (FC Table 105.6.10)						
7.	Will you store, use requires a permit	e or handle <u>radioactive materials</u> more than 1 microcurie or any amount that from The Nuclear Regulatory Commission?						
8.	Will you store or h manufacturing pro	andle more than 25 lbs of <u>pyroxylin plastics</u> or use any such material in a						
9.	Will you melt, cast	, heat treat or grind more than 10 lbs of magnesium or other combustible metals?						
10.	Will your store or I	nandle an aggregate quantity <u>aerosol products</u> in excess of 500 lbs. net weight?						
11.	Will you manufact	ure more than one gallon of <u>organic coating</u> per day?						
12.	Will you store, har	idle, sell or use any model rocket engines, pyrotechnic materials or fireworks?						

		YES	NO
13.	Will you have a <u>refrigeration</u> system with >220 lbs Group A1 or 30 lbs of any other refrigerant?		
14.	Will you store or handle loose <u>combustible fibers</u> in excess of 100 cubic feet?		
15.	Will you install or operate a stationary <u>lead-acid battery system</u> with more than 100 gallons of liquid capacity?		
16.	Will you conduct fruit or crop ripening operations using ethylene gas?		
17.	Will you produce combustible dust?		
18.	Will you operate a <u>place of assembly</u> (drinking, dining, or gathering) with a single room occupant capacity of 50 or more people?		
19.	If YES to #18, Will you have <u>liquid or gas fueled vehicles or equipment</u> ; use <u>open flames or candles</u> ; or store, use or handle <u>cellulose nitrate film</u> in an assembly occupancy?		
20.	Will you operate a <u>carnival or a fair, or an amusement, covered mall, exhibit or trade show building?</u>		
21.	Will you use dry cleaning equipment?		
22.	Will you operate an industrial baking oven, or a power coating or spray finish booth or room?		
23.	Will you be conducting welding, cutting or other hot work operations?		
24.	Will you be using open-flame devices including torches, candles, lanterns, or portable cooking appliances?		
25.	Will you conduct any form of open burning, or create a bonfire, rubbish or recreational fire?		
26.	Will you be conducting activities or create a condition near a <u>hazardous fire area</u> (wildfire area) that could accidentally ignite a wildfire?		
27.	Will you have a lumber yard or wood working plant which stores or processes 100,000 board feet of lumber?		
28.	Will you store wood chips, hogged material, lumber, or plywood in excess of 200 cubic feet?		
29.	Will you conduct any <u>fumigation or thermal insecticidal fogging</u> operations?		
30.	Will you operate an auto wrecking, waste handling, or commercial rubbish handling facility?		
31.	Will you remanufacture tires or store over 2,500 cubic feet of tires or tire byproduct?		
32.	Will you operate a <u>repair garage</u> or <u>fuel dispensing facility</u> for automotive, marine, or fleet equipment?		
33.	Will you perform <u>floor finishing</u> over 350 sq ft using Class I or II liquids?		
34.	Will you operate a temporary sales lot for the sale of Christmas trees or pumpkins?		
35.	Will you install or use any type of temporary membrane structure, tent, or canopy?		
36.	Will you conduct any motion picture, television, commercial, or related film production?		
37.	Will you be removing or using a <u>privately owned fire hydrant</u> ?		

PART II - Questionnaire continued...

			YES	NO		
38.	B. Is your building equipped with automatic fire sprinklers?					
	If your building has fire sprinklers provide the following information: (The following information can usually be found on the main sprinkler system riser for each system or the Fire Department Connection (FDC) or can sometimes be obtained from the property owner.)					
	 Date of last fire sprinkler system testing or maintenance as per CCR Title 19 (recorded on State Forms AES 1-9): 					
	b) Below is a list of common types of sprinkler systems. Complete the information for the type of system in your building: • CALCULATED: GPM/SqFt Design Area (i.e3					
		PIPE SCHEDULE (non-calculated):Light HazardOrdinary HazardI	Extra Ha	azard		
		EARLY SUPPRESSION FAST-RESPONSE (ESFR):PSI ESFR K Factorial	ctor	·····		
	c)	Is the sprinkler system electronically supervised? If YES then:				
		Fire sprinkler alarm monitoring company:				
39.	ls y	your building equipped with a standpipe system (fire hose or fire hose connections)? If YES then:				
	a)	Type and location: (Certification information can usually be found on labels on the main standpipe system riser for each system)				
	b)	Date of last standpipe system testing or maintenance as per CCR Title 19 (recorded on State Forms AES 1-9):	Fire M	larshal		
40.). Is your building equipped with any other type of manual or automatic fire extinguishing system? (Halon, Clean Agent, FM-200, Kitchen Hood System, Spray Booth) If YES then:					
	a)	Type and location:				
	b)	Date of last automatic extinguishing system testing or maintenance as per CCR Title 19 (recorded Marshal Forms AES 1-9):	i on Sta	te Fire		
41.		your building equipped with a manual or automatic fire alarm system? If YES then: moke detector, heat detector or manual pull)				
	a)	Date of last alarm system test:				
	b)	Is the fire alarm system electronically supervised? If YES then:				
		Fire alarm monitoring company:				
42.	Ma	aximum number of employees working at one time:				
43.	Ηοι	ours of operation:To				
44.	4. Describe the method of disposing of combustible or hazardous waste materials:					

PART III - Intended Use Statement

- 1. **SUBMIT A LETTER:** Submit a signed, legible letter (preferably type written and on your company's letterhead) stating your intended use for the property. In the letter, describe materials you will be storing and using on the property. Explain the method of storage (e.g. racks, pallets), storage dimensions, and where the materials will be located on the property. Describe how you will be using the materials. Provide details to any item(s) marked "yes" in Part II and explain any planned alterations to the building. (See attached example.)
- 2. **SUBMIT SITE PLAN / FLOOR PLAN:** Submit site plan drawn to rough scale showing the property size and location, building size and location on property: both in square feet. Show all exit doors, fire extinguishers, fire hose cabinets, special fire or life safety systems, and any item(s) marked "yes" in Part II. (See attached example).

PART IV - Hazardous Materials Non-Handler Declaration:

HAZARDOUS MATERIALS NON-HANDLER DECLARATION (FORM 585)

- { } THIS BUILDING WILL USE HAZARDOUS MATERIALS IN EXCESS OF NON-REPORTABLE AMOUNTS.
- { } THIS BUILDING WILL NOT USE HAZARDOUS MATERIALS OR USES NON-REPORTABLE AMOUNTS.

A hazardous material may be broadly defined as any material that because of its quantity, concentration, or physical or chemical characteristics; poses a significant, present, or potential hazard to human health and safety, property, or to the environment. A hazardous material includes, but is not limited to any substance or material which the handler or the administering agency has a reasonable basis for believing would be injurious a person's health and safety or harmful to the environment if released into the work place or surrounding areas.

By signing below, I declare that the above named business, organization, or occupant will not handle a hazardous material or mixture containing hazardous material which has a quantity at any one time during the reporting year equal to, or greater than, a total weight of 500 pounds, or a total of 55 gallons, or 200 cubic feet at standard temperature and pressure for compressed gas.

Print Name and Title of Declarer:	Date:
•	
Declarer Signature:	Fire Department Representative:

PART V - High-Piled Combustible Storage:

In Chapter 23 of the County of Los Angeles Fire Code, high-piled combustible storage is defined as: Storage of combustible materials [product and/or packaging] in closely packed piles (floor storage) or combustible materials on pallets, in racks, or on shelves where the top of storage is **greater than 12 feet in height**. High-piled combustible storage also includes certain high hazard commodities, such as; rubber tires, 'Group A' plastics, flammable liquids, idle pallets, and similar commodities, where the top of the storage is greater than 6 feet in height.

It is <u>very important to contact a fire inspector</u> prior to consideration of storing high-piled combustible storage. Many of the permit requirements must be built into your building. If your building is not approved for high-piled combustible storage it may be cost prohibitive. For example; if you have a pipe schedule sprinkler system – no high-piled storage is permitted until the system is calculated. A fire inspector can assist you with fire department requirements.

- { } THIS BUILDING WILL NOT BE USED FOR HIGH-PILED COMBUSTIBLE STORAGE.
- { } THIS BUILDING <u>WILL BE</u> USED FOR HIGH-PILED COMBUSTIBLE STORAGE. "<u>Permit Required</u>." Contact a Fire Inspector for permit requirements.
 - { } THIS BUILDING IS A SPECULATION BUILDING WITHOUT A TENANT AT THIS TIME. The tenant will be notified to contact the fire department prior to use of the building.

FIRE DEPARTMENT STAMP

TO GET A STAMP FROM THE FIRE DEPARTMENT YOU MUST BRING THE FOLLOWING ITEMS TO THE JURISDICTIONAL FIRE PREVENTION OFFICE:

- THE STATEMENT OF INTENDED USE FORM 30, COMPLETELY FILLED OUT
- A SIGNED LETTER FROM THE BUSINESS OWNER, OR AUTHORIZED AGENT (SEE PAGE 4)
- A FLOOR PLAN / SITE PLAN OF THE BUILDING
- THE OCCUPANT EMERGENCY INFORMATION, COMPLETELY FILLED OUT (PAGE 7)

ŀ	FII	RΕ	DE	PA	RT	ME	NT	ST	ΔMP	

THE FOLLOWING PERMITS ARE REQUIRED:	
THE POLLOWING PERMITS ARE REGUIRED.	
PERMIT INFORMATION SHEETS WILL BE PROVIDED FOR REQU	JIRED PERMITS. (Permit Information Sheets are also available for

viewing on our website. Go to www.fire.lacounty.gov, under Fire Prevention Division look for "Permit Requirements.")

PERMITS WILL ONLY BE ISSUED BY A FIRE INSPECTOR. PLEASE CONTACT YOUR FIRE INSPECTOR TO SCHEDULE AN INSPECTION.

FIRE EXTINGUISHER REQUIREMENTS

(This section to be completed by fire department personnel.)

Primarily Class A Fire Hazards (Ordinary Combustibles):

- { } <u>Light Fire Hazard</u> Provide a minimum of (1) 2A10BC rated fire extinguisher mounted in an accessible conspicuous area. One extinguisher is required for every 6000 square feet and the travel distance to a fire extinguisher shall not exceed 75 feet from any point hazard involved. Mount in an accessible and conspicuous location.
- { } Ordinary Fire Hazard Provide a minimum of (1) 2A10BC rated fire extinguisher mounted in an accessible conspicuous area. One extinguisher is required for every 3000 square feet and the travel distance to a fire extinguisher shall not exceed 75 feet from any point of the hazard involved. Mount in an accessible and conspicuous location.
- { } Extra Fire Hazard Provide a fire extinguisher with a minimum Class A rating of 4. One extinguisher is required for every 4000 square feet. Travel distance to a fire extinguisher shall not exceed 75 feet from any point from the hazard involved. Mount in an accessible and conspicuous location.

Class B Fire Hazards Present (Flammable/Combustible Liquids with depths .25" or less):

- { } <u>Light Fire Hazard</u> Provide a fire extinguisher with a minimum Class B rating of 10 mounted in an accessible conspicuous area. The travel distance to a fire extinguisher shall not exceed 50 feet from any point from the hazard involved. Mount in an accessible and conspicuous location.
- { } Ordinary Fire Hazard Provide a fire extinguisher with a minimum Class B rating of 10 with an allowable a maximum or 30 feet travel distance or a fire extinguisher with a minimum Class B rating of 20 with a maximum allowable travel distance of 50 feet from the hazard involved. Mount in an accessible and conspicuous location.
- { } Extra Fire Hazard Provide a fire extinguisher with a minimum Class B rating of 40 with a maximum feet travel distance of 30 feet or a fire extinguisher with a Class B rating of 80 with allowable maximum travel distance of 50 feet from the hazard involved. Mount in an accessible and conspicuous location.

Special Hazard Protection (Grease and Combustible Metal):

- { } Commercial Kitchen Hood System One Class K fire extinguisher shall be placed within 30 feet of all grease cooking operations in a commercial kitchen. Protection of a multiple deep fat fryer appliance installation shall be as per Fire Code 904.11.5.2. Mount in an accessible and conspicuous location. Care shall be used to insure that the K Class extinguisher and not the other type of extinguishers will be used in the event of a grease fire involving cooking equipment. Multi-purpose fire extinguishers may compromise the effectiveness in wet chemical kitchen hood extinguishing systems.
- { } Hazards involving the ignition of <u>Class D combustible metals</u> such as magnesium, titanium, zirconium, sodium, lithium, and potassium shall be protected as per NFPA 10 standard for areas where combustible metal powders, flakes, shavings, chips, or similarly sized products are generated. Travel distance to a fire extinguisher/fire extinguishing agent shall not exceed 75 feet from any point from the hazard involved. Mount in an accessible and conspicuous location.

See Fire Code Table 906.1 for additional specified areas for required fire extinguisher placement.

County of Los Angeles Fire Department

Occupant Emergency Information

GENERAL INFORMATION:							
Business Name:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-					
DBA/AFA/FKA:				Effective Date:			
Street Address:				Suite/Apt			
City:			State:	ZIP+4:			
new construction, name change, or ownership change: a new occupant moving in and the previous occupant/business has moved out sharing the above address with another occupant/business by the name of:							
Mailing Address (only if different than above):							
Phone: ()	ext	Fax: ()				
Generic E-mail:			op de dyster for the state of t	Number of employees:			
Senior Person:				Title:			
Describe Property Use:							
Hazardous Material:							
Notes/Special Concerns:							
Thomas Guide: Cross Street:							
City License/Permit #:	Zone:			Fire Station #:			
Water Company :				Phone: ()			
PROPERTY INFORMATION:		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	· (
Landlord/Property Owner Name:				Phone: ()			
Address:	Managembles Androphilable hadden market management and the management						
Contact Person Name:	***************************************			Title:			
Occupancy Code: Roof Type:	SQFT:		Stories:	High Piled: Fire Sprinklers:			
Basement: Target Hazard:	HM Handler:		FD Permit:	-			
EMERGENCY CONTACT INFORMATION: (24 Hour number – usually home phone)							
1st Person to contact:	,		·	•			
2nd Person to contact:							
3rd Person to contact:		•					
Alarm Company:							

(Sample Statement of Intended Use Letter)

Big Ben Furniture company 1000 South Anyplace Your City, CA 00000

April 26, 2002

To Whom It May Concern:


The following information is in answer to your request regarding the business operation to be conducted at the above address.

- 1. Operations conducted in the building are as follows:
 - Upholstery manufactures loose cushions for wood and metal furniture as well as some fully upholstered furniture.
 - b) Plastic furniture manufacture plastic furniture out of extruded plastic tubing. Operations include cutting, thermoforming and assembly.
 - c) Spray painting painting of all necessary items. All spray painting to take place in spray booth.
 - d) Warehousing of wood and metal furniture components.
 - e) General office activities.
- See attached plot plan.
- Materials to be stored include the following.
 - a) Metal and wood furniture frames stacked upon themselves
 - b) Wood furniture parts palletized.
 - c) Upholstery materials in racks 6 feet high.
 - d) Plastic tubing and furniture parts in racks 6 feet high.
- 4. Materials are stored both in racks, on pallets, and free standing. Maximum height of storage is 10 feet.
- 5. No alterations are planned at this time.

Sincerely,

John J. Jones President

JJJ:ab



Gale Avenue

